





This is to certify that: Bursa Pazarı İns. San.

Ve Tic. A.Ş.

Akçaburgaz Mahallesi, 3137. Sokak No: 19, 34522, Kıraç, Esenyurt

Istanbul 34522 Turkey

Holds Certificate Number: CE 807129

In respect of:

Protective gloves to Technical Specification to Satisfy Annex II of PPE Regulation (EU) 2016/425.

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 2797):

Denelise L'Ecluse, Managing Director Assurance - Continental

Europe

First Issued: 2024-04-23 Latest Issue: 2024-04-23 Effective Date: 2024-04-23 Expiry Date: 2029-04-22

Page: 1 of 10



No. CE 807129

Product Specification

Model: PON5

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Full finger glove with ½ nitrile coating, knitted from polyester.

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 3
Blade Cut resistance Level 1
Tear Resistance Level 2
Puncture Resistance Level 1
EN 13997 Cut Resistance X

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

pH Value: 6.7

Size Range: 7, 8, 9, 10, 11

Page: 2 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Model: PON3

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Full finger glove with ½ nitrile coating, knitted from polyester.

Colour variants: White – Grey, White – Yellow and Red – Black

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 2 Blade Cut resistance Level 1

Tear Resistance Level 2
Puncture Resistance Level 1
EN 13997 Cut Resistance X

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

Size Range: 7, 8, 9, 10, 11

Innocuousness:

pH Value: 6.8

PAH: PASS

Azo dyes: PASS

Page: 3 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Model: PON3 ZBR

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Full finger glove with ½ nitrile coating, knitted from polyester.

Colour variants: Red, Black, Blue, Orange

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 2
Blade Cut resistance Level 1
Tear Resistance Level 2
Puncture Resistance Level 1
EN 13997 Cut Resistance X

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

Size Range: 7, 8, 9, 10, 11

Innocuousness:

pH Value: 6.8

PAH: PASS

Azo dyes: PASS

Page: 4 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Model: POP TOUCH

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Full finger nylon knitted glove with Polyurethane coating.

Colour variants: Black

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 3 Blade Cut resistance Level 1 Tear Resistance Level 2

Puncture Resistance Level 1 EN 13997 Cut Resistance X

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

Size Range: 7, 8, 9, 10, 11

Innocuousness:

pH Value: 7.4

PAH: PASS

Azo dyes: PASS

DMFa: PASS

Page: 5 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Model: PAN40

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Woven cotton/polyester fabric glove 3/4 nitrile coated with knitted cuff.

Colour variants: Yellow

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 4 Blade Cut resistance Level 1 Tear Resistance Level 2 Puncture Resistance Level 1 EN 13997 Cut Resistance x

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

Size Range: 7, 8, 9, 10, 11

Innocuousness:

pH: PASS

PAH: PASS

Azo dyes: PASS

Product Specification Effective Date: 2024-04-23
Latest Issue: 2024-04-23
Expiry Date: 2029-04-22

Page: 6 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Model: PAN350 FLEX

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Woven cotton/polyester fabric glove ¾ nitrile coated with knitted cuff.

Colour variants: Yellow

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 2 Blade Cut resistance Level 1 Tear Resistance Level 1 Puncture Resistance Level 1 EN 13997 Cut Resistance X

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

Size Range: 7, 8, 9, 10, 11

Innocuousness:

pH: PASS

PAH: PASS

Azo dyes: PASS

Page: 7 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Product Specification

Model: POL9 CRINK

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Full finger glove constructed of knitted latex-polyester outer.

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 4 Blade Cut resistance Level 1 Tear Resistance Level 3 Puncture Resistance Level 1 EN 13997 Cut Resistance X

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

pH Value: 7.1

Size Range: 7, 8, 9, 10, 11

Page: 8 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Product Specification

Model: PON7

Classification: Protective gloves for use against mechanical risks and general applications.

Description: Full finger glove constructed of knitted polyester coated with a Nitrile half coating outer.

Performance: Mechanical Hazards to EN 388:2016+A1:2018

Abrasion Resistance Level 3 Blade Cut resistance Level 1 Tear Resistance Level 3

Puncture Resistance Level 1 EN 13997 Cut Resistance X

General Requirements for gloves to EN ISO 21420:2020

Dexterity: Level 5

pH Value: 6.7

Size Range: 7, 8, 9, 10, 11

Page: 9 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.

No. CE 807129

Certificate Amendment Record: CE 704805 CE 717457

Issue DateCommentsBSI Project No.April 2024First issue.2797:24:30126708

Note: The Certificate Holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

First Issued: 2024-04-23 Effective Date: 2024-04-23 Latest Issue: 2024-04-23 Expiry Date: 2029-04-22

Page: 10 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.